



bateman

UNRIVALLED QUALITY AND DESIGN SINCE 1979



UNRIVALLED QUALITY AND DESIGN SINCE 1979

In 1979 Melvyn Bateman set about starting an agricultural engineering company to rival the best in the business, in the 37 years that have followed LM Bateman & Co. Ltd. has become a leading light in the agricultural world not only in the UK but throughout Europe. Our Chairman Melvyn is very much still involved along with two of his sons, Thomas and Edward, on the board of directors and several family members in the business. Bateman remains very much a privately owned, family run operation.

When Melvyn started the company the objective was clear and still remains the same today, provide the agricultural market with a premium product and supply them at a competitive price. Bateman products are manufactured on site, at our headquarters in Cheddleton, Staffordshire. The site itself is in continuous development with the recent acquisition of 2 new sizeable yards to cater for Bateman's expansion with a brand new distribution centre also in development.

Bateman deploys its own fleet of vehicles to deliver our premium products UK wide, we now manufacture a complete range of animal-handling and feeding equipment using prime quality tubular and RHS steel, galvanised to ISO1461. We supply these products all over the UK and throughout mainland Europe. We are continuously developing new products to keep Bateman at the very forefront of agricultural engineering

We aim to achieve the very highest level of customer service, we have a team of dedicated territory sales managers who are contactable at all times via mobile phone or email. We also have an internal customer services and sales team who are fully trained to handle any enquiry. Bateman is a modern and progressive business we will never stop developing the way we do things and investment in the company is ongoing, this combined with family values makes LM Bateman & Co. Ltd. a true market leader in the Agricultural sector.



PRODUCT / RANGE**PAGE**

| | |
|---|-------|
| Introduction | 2 |
| Contents | 3 |
| Gates | 4-7 |
| Post, Ground sockets and Furniture | 8-9 |
| Calf Equipment and Cattle Grids | 10-12 |
| Self Locking Yokes | 13 |
| Cattle Crushes and Accessories | 14-26 |
| Portable Cattle Handling | 29-31 |
| Water Troughs | 32-33 |
| Drinkers | 34-35 |
| Cattle Feeding | 36-37 |
| Sheep Handling | 39-48 |
| Sheep Feeding | 49-52 |
| Made to Measure Cattle Handling Systems | 53-55 |
| Cow Cubicles | 56-58 |
| Made to Measure Feeding Systems | 59-63 |
| Made to Order Doors and Penning | 64-66 |
| Equestrian | 67-71 |
| Testimonials and Events | 73-75 |

TERMS & CONDITIONS

- Carriage charges applicable to certain geographical areas
- We reserve the right to change prices and specifications without prior notification
- Photographs shown may not necessarily be to exact design
- All equipment hot dip galvanised to ISO 1461 unless otherwise indicated or requested
- All products are protected by design rights as detailed in the copyright designs and patent act 1988
- Terms of trading are available on request
- Some self assembly may be required
- All items to be invoiced via an appointed Bateman dealer
- Damages or discrepancies must be clearly marked on the delivery note at time of delivery or within 3 days.
Any claims after this period will not be considered



Field Gates

A seven bar gate 1145mm high, complete with box section braces welded into the gate, box hang stile, spring bolt and sleeved 3/4" eyes.

ASHCOMBE GATE



7 rail, 1145mm high with 3/4" sleeved eyes.

Box Section Bracing
Increased Strength / Increased Rigidity

| Product Code | Size |
|--------------|---------------|
| ASH-03-01 | 915mm (3'0) |
| ASH-04-01 | 1220mm (4'0) |
| ASH-05-01 | 1525mm (5'0) |
| ASH-06-01 | 1830mm (6'0) |
| ASH-07-01 | 2135mm (7'0) |
| ASH-08-01 | 2440mm (8'0) |
| ASH-09-01 | 2745mm (9'0) |
| ASH-10-01 | 3050mm (10'0) |
| ASH-11-01 | 3355mm (11'0) |
| ASH-12-01 | 3660mm (12'0) |
| ASH-13-01 | 3965mm (13'0) |
| ASH-14-01 | 4270mm (14'0) |
| ASH-15-01 | 4575mm (15'0) |
| ASH-16-01 | 4880mm (16'0) |

Special sizes available - please call for prices

| Specification | |
|---------------|---------------------------------|
| Hang stile | 50x50 RHS |
| Slam stile | 50x25 RHS |
| Horizontals | Top & Bottom 42.6 OD x 1.5 tube |
| Intermediates | 28.6/30 x 1.2 tube |

HALF MESHED GATES



Fully meshed version also available. Call for prices.

5 rail half meshed, 1145mm high 3/4" sleeved eyes.

Flat Strap Bracing

| Product Code | Size |
|--------------|---------------|
| HMG-03-01 | 915mm (3'0) |
| HMG-04-01 | 1220mm (4'0) |
| HMG-05-01 | 1525mm (5'0) |
| HMG-06-01 | 1830mm (6'0) |
| HMG-07-01 | 2135mm (7'0) |
| HMG-08-01 | 2440mm (8'0) |
| HMG-09-01 | 2745mm (9'0) |
| HMG-10-01 | 3050mm (10'0) |
| HMG-11-01 | 3355mm (11'0) |
| HMG-12-01 | 3660mm (12'0) |
| HMG-13-01 | 3965mm (13'0) |
| HMG-14-01 | 4270mm (14'0) |
| HMG-15-01 | 4575mm (15'0) |
| HMG-16-01 | 4880mm (16'0) |

Special sizes available - please call for prices

| Specification | |
|---------------|-----------------|
| Hang stile | 50x50x2.0 RHS |
| Slam stile | 50x25x1.5 RHS |
| Horizontals | 44.5OD x 1.5 |
| Mesh | 75x75x4.0 |
| Intermediates | 35OD x 1.2 tube |

CENTURY GATE



7 rail, 1145mm high with 3/4" sleeved eyes.

Box Section Bracing

Increased Strength / Increased Rigidity



| Product Code | Size |
|--------------|---------------|
| CEN-03-01 | 915mm (3'0) |
| CEN-04-01 | 1220mm (4'0) |
| CEN-05-01 | 1525mm (5'0) |
| CEN-06-01 | 1830mm (6'0) |
| CEN-07-01 | 2135mm (7'0) |
| CEN-08-01 | 2440mm (8'0) |
| CEN-09-01 | 2745mm (9'0) |
| CEN-10-01 | 3050mm (10'0) |
| CEN-11-01 | 3355mm (11'0) |
| CEN-12-01 | 3660mm (12'0) |
| CEN-13-01 | 3965mm (13'0) |
| CEN-14-01 | 4270mm (14'0) |
| CEN-15-01 | 4575mm (15'0) |
| CEN-16-01 | 4880mm (16'0) |

Special sizes available - please call for prices

| Specification | |
|---------------|------------------------------|
| Hang stile | 50x50 RHS |
| Slam stile | 50x25 RHS |
| Horizontals | Top & Bottom 44.5 x 1.5 tube |
| Intermediates | 35 x 1.2 tube |

Yard Gates

Typically a gate used to section yards off for cattle or used within buildings to create pens. Comes with a pendulum style bolt.

CATTLEYARD GATE



Cattleyard; 5-rail, 1145mm high, with 3/4" sleeved eyes.

Flat Strap Bracing



| Product Code | Size |
|--------------|---------------|
| CAT-03-03 | 915mm (3'0) |
| CAT-04-03 | 1220mm (4'0) |
| CAT-05-03 | 1525mm (5'0) |
| CAT-06-03 | 1830mm (6'0) |
| CAT-07-03 | 2135mm (7'0) |
| CAT-08-03 | 2440mm (8'0) |
| CAT-09-03 | 2745mm (9'0) |
| CAT-10-03 | 3050mm (10'0) |
| CAT-11-03 | 3355mm (11'0) |
| CAT-12-03 | 3660mm (12'0) |
| CAT-13-03 | 3965mm (13'0) |
| CAT-14-03 | 4270mm (14'0) |
| CAT-15-03 | 4575mm (15'0) |
| CAT-16-03 | 4880mm (16'0) |

Special sizes available - please call for prices

| Specification | |
|------------------|--------------------------------|
| Hang stile | 50x50 RHS |
| Slam stile | 50x25 RHS |
| Horizontals | Top & Bottom 47.6OD x 2.0 tube |
| Intermediates | 44.5OD x 1.5 tube |
| Vertical bracing | 40 x 4mm flat |

Yard Gates (Continued)

HEAVY STOCKYARD GATE



Heavy Stockyard; 5-rail, 1270mm high with 1" sleeved eyes.

Tube Infill Bracing



| Product Code | Size |
|--------------|---------------|
| HSY-03-03 | 915mm (3'0) |
| HSY-04-03 | 1220mm (4'0) |
| HSY-05-03 | 1525mm (5'0) |
| HSY-06-03 | 1830mm (6'0) |
| HSY-07-03 | 2135mm (7'0) |
| HSY-08-03 | 2440mm (8'0) |
| HSY-09-03 | 2745mm (9'0) |
| HSY-10-03 | 3050mm (10'0) |
| HSY-11-03 | 3355mm (11'0) |
| HSY-12-03 | 3660mm (12'0) |
| HSY-13-03 | 3965mm (13'0) |
| HSY-14-03 | 4270mm (14'0) |
| HSY-15-03 | 4575mm (15'0) |
| HSY-16-03 | 4880mm (16'0) |

Special sizes available - please call for prices

| Specification | |
|---------------------|--------------------------------|
| Hang stile | 50x50 RHS |
| Slam stile | 50x25 RHS |
| Horizontals | Top & Bottom 48.0OD x 3.0 tube |
| Intermediates | 47.6OD x 2.0 tube |
| Tube inflill braces | 25mm OD tube |

ANY HAND SHEETED GATES



Heavy Duty version available
(50x50 RHS) - See page 41, 42

1270 high - complete with 40x40 RHS throughout,
3/4" eyes and pendulum bolt.

| Product Code | Size |
|--------------|---------------|
| SHE-03-03 | 915mm (3'0) |
| SHE-04-03 | 1220mm (4'0) |
| SHE-05-03 | 1525mm (5'0) |
| SHE-06-03 | 1830mm (6'0) |
| SHE-07-03 | 2135mm (7'0) |
| SHE-08-03 | 2440mm (8'0) |
| SHE-09-03 | 2745mm (9'0) |
| SHE-10-03 | 3050mm (10'0) |
| SHE-11-03 | 3355mm (11'0) |
| SHE-12-03 | 3660mm (12'0) |
| SHE-13-03 | 3965mm (13'0) |
| SHE-14-03 | 4270mm (14'0) |
| SHE-15-03 | 4575mm (15'0) |
| SHE-16-03 | 4880mm (16'0) |

Special sizes available - please call for prices

| Specification | |
|---------------|----------------------------|
| Hang stile | 40x40x2.0 RHS |
| Slam stile | 40x40x2.0 RHS |
| Horizontals | Top & Bottom - 40x40x2 RHS |
| Slam stile | 40x40x2.0 RHS |
| Galv sheet | 0.9mm |

Multi-purpose Gates

PREMIER GATE



8 rail, 1525mm high, with spring bolt and 3/4" sleeved eyes. Used in cattle yards and races where extra height is needed. Can also be used with sheep - due to close spacing on lower rails. Available in a six rail version.

Double Strap Bracing



| Product Code | Size |
|--------------|---------------|
| PR8-03-01 | 915mm (3'0) |
| PR8-04-01 | 1220mm (4'0) |
| PR8-05-01 | 1525mm (5'0) |
| PR8-06-01 | 1830mm (6'0) |
| PR8-07-01 | 2135mm (7'0) |
| PR8-08-01 | 2440mm (8'0) |
| PR8-09-01 | 2745mm (9'0) |
| PR8-10-01 | 3050mm (10'0) |
| PR8-11-01 | 3355mm (11'0) |
| PR8-12-01 | 3660mm (12'0) |
| PR8-13-01 | 3965mm (13'0) |
| PR8-14-01 | 4270mm (14'0) |
| PR8-15-01 | 4575mm (15'0) |
| PR8-16-01 | 4880mm (16'0) |

Special sizes available - please call for prices

| Specification | |
|------------------|--------------------------------|
| Hang stile | 50x50 RHS |
| Slam stile | 50x25 RHS |
| Horizontals | Top & Bottom 42.4OD x 1.5 tube |
| Intermediates | 42.4OD x 1.5 tube |
| Vertical bracing | 40 x 4mm flat |

DEER GATE



1830mm high fully meshed gate, with padlockable slide bolt and 3/4" eyes. Also available as a 10-rail or part mesh gate (please call for prices).

Padlockable Slide Bolt



| Product Code | Size |
|--------------|---------------|
| 375-184-03 | 915mm (3'0) |
| 375-184-04 | 1220mm (4'0) |
| 375-184-05 | 1525mm (5'0) |
| 375-184-06 | 1830mm (6'0) |
| 375-184-07 | 2135mm (7'0) |
| 375-184-08 | 2440mm (8'0) |
| 375-184-09 | 2745mm (9'0) |
| 375-184-10 | 3050mm (10'0) |
| 375-184-11 | 3355mm (11'0) |
| 375-184-12 | 3660mm (12'0) |
| 375-184-13 | 3965mm (13'0) |
| 375-184-14 | 4270mm (14'0) |
| 375-184-15 | 4575mm (15'0) |
| 375-184-16 | 4880mm (16'0) |

Special sizes available- please call for prices

| Specification | |
|---------------|----------------------------|
| Hang stile | 40x40 RHS |
| Slam stile | 40x40 RHS |
| Horizontals | Top & Bottom 40 x 40 x 2.0 |
| Intermediates | 40 x 40 x 2.0 |
| Mesh | 76x76 |
| Infillers | 40 x 40 x 2.0 |

Gate Posts

2000mm long as standard- to concrete or socket 600mm deep complete with ¾" hinge hooks, slot receiver or auto-latch.




Special posts available on request

| Product Code | Size |
|---------------------|------------|
| 89mm (3½") | |
| 900-01-089 | Hang post |
| 900-11-089 | Slam post |
| 900-31-089 | Auto latch |
| 114mm (4½") | |
| 900-01-114 | Hang post |
| 900-11-114 | Slam post |
| 900-31-114 | Auto latch |
| 139mm (5½") | |
| 900-01-139 | Hang post |
| 900-11-139 | Slam post |
| 100 x100 RHS | |
| 900-02-100 | Hang post |
| 900-12-100 | Slam post |
| 120 x120 RHS | |
| 900-02-120 | Hang post |
| 900-12-120 | Slam post |
| 150 x150 RHS | |
| Special | Hang post |
| Special | Slam post |

Ground Sockets

All steel sockets come with lids as standard and are 610mm deep. 750mm deep can be made as a special- price upon request



| Product Code | Size |
|-------------------------|-------------|
| Circular (Steel) | |
| 905-076-600 | 76mm |
| 905-089-600 | 89mm |
| 905-114-600 | 114mm |
| 905-139-600 | 139mm |
| Square (Steel) | |
| 906-080-600 | 80x80 RHS |
| 906-100-600 | 100x100 RHS |
| 906-120-600 | 120x120 RHS |

Furniture

Extra components that may be required to hang or fasten gates and doors.



Heavy duty drop over frame
950-00-01



Light Weight Drop over frame
950-00-02



Bolt on drop bolt assembly
950-00-03



Hook & Chain Fastener
950-00-04



Angled Bolt Receiver
950-00-06



Bolt Receiver Plate
950-00-07




Hinge hooks on vertical drilled plates
950-19-01 (3/4") 950-25-01 (1")



Hinge hook on Square Drilled Plate
950-19-02 (3/4") 950-25-02 (1")



3/4" hinge hooks on screwed shanks
950-19-03



3/4" hinge hooks on continuous plate
950-19-06



Hinge eyes 3/4" or 1" dia
018-20-150 (3/4") 018-24-180 (1")



Nuts & Bolts

Standard Portable Calf Penning (Galvanised)



| Product Code | Description |
|--------------|--------------------------------------|
| 400-01-09 | Calf pen front c/w bucket holders |
| 400-03-15 | Sheeted calf pen side panel c/w rods |
| 400-02-15 | Railed calf pen side panel c/w rods |
| 400-05-09 | Sheeted calf pen rear panel |
| 400-04-09 | Railed calf pen rear panel |
| 400-10 | Additional 10mm coupling rod |
| 400-06 | Wall fixing plate |
| 400-07 | Double sided haybasket |
| 400-08 | Additional bucket holder |

Calf Creep Feeders

HEAVY DUTY CALF CREEP FEEDER



| Product Code | Description |
|---------------|--|
| 400-60 | Heavy Duty calf creep feeder with 3-point linkage, forklift channels, full length lid and width/height adjustable creep apertures. |
| Specification | |
| Heavy Duty | 2440 L x 1525 D x 1525 H 320kg capacity hopper |

Dehorning Crates

HEAVY DUTY DEHORNING CRATE



| Product Code |
|---|
| 400-52 |
| Specification |
| Dimensions: 1500 L x 500 W x 1000 H N.B Suitable for 1 to 8 week old calves (approximates based on Dairy calves). |

Calf Weigher



| Product Code | Description |
|--------------|--|
| 800-60 | Heavy duty weighing crate, suitable for calves, sheep or pigs. 200kg mechanical weigh head. Spring assisted hinged entrance and exit gates. Perforated steel floor with anti slip battens. 200mm dia wheels and retractable lifting handles for easy movement. |

| Specification |
|----------------------------------|
| 1500 long x 700 wide x 1290 high |



| Product Code | Description |
|--------------|---|
| 800-62 | The electronic weigh crate, suitable for calves, sheep or pigs. Complete with mounting bracket and suspension load cell to take digital weigh head of choice. (Not included.) |

| Specification |
|--|
| All spec/details same as 800-60, the only difference is the weigh head |

CATTLE GRIDS



| Product Code | Size |
|--------------|----------------------------|
| 570-12 | 2900 x 2740 (12 tonne max) |
| 570-20 | 3650 x 2720 (20 tonne max) |
| 570-32 | 3650 x 2730 (32 tonne max) |
| 570-40 | 3650 x 2730 (40 tonne max) |

Extra's

570-90-2900

2900 long 3-rail Cattleyard fence side panel c/w posts

HOOK ON HAYRACKS & TROUGHS



| Product Code | Size |
|--|-------------|
| Lightweight hook over calf/sheep hayracks | |
| 410-03-090 | 900mm long |
| 410-03-140 | 1400mm long |
| 410-03-180 | 1800mm long |
| Bolt to wall calf/sheep hayracks | |
| 410-01-090 | 900mm long |
| 410-01-120 | 1200mm long |
| 410-01-150 | 1500mm long |
| 410-01-180 | 1800mm long |
| 410-01-250 | 2500mm long |

| Specification |
|---------------|
|---------------|

Hook Over: 325mm wide x 462mm deep (open backs)
Bolt to Wall: 405mm wide x 583mm deep

| Product Code | Size |
|-------------------------------|-------------|
| Hook Over Calf Troughs | |
| 411-02-090 | 900mm long |
| 411-02-120 | 1400mm long |
| 411-02-150 | 1500mm long |
| 411-01-180 | 1800mm long |
| 411-01-250 | 2500mm long |

| Specification |
|-----------------------------|
| (1.5mm sheet) 325 W x 150 D |

N.B. End plates have plasma cut holes for galv drainage whilst dipping. Please state when ordering if full end plates are needed for example if using for milk.

XXL Calf Hutch



3 Options Available

Calf Hutch XXL Only

- Calf hutch in Polyethylene. More flexible and less breakable than fiberglass
- Calf hutch 2-layers XXL
- Designed for calf breeding until 3 months.

Calf hutch XXL comfort pack

1 x Calf hutch XXL

- 1 x metallic fence
- 1 hatch on the rear part of the hutch for straw-mulching
- 1 hatch on the side to have access to the double bucket holder
- 1 x bucket holder with 2 buckets 12L each
- 1 x bucket 17.5 L with teat for milk
- 1 x bucket 17,5 L

Calf hutch XXL comfort pack

1 x Calf hutch XXL 1 x Comfort Pack With Floor

FLOOR XXL on wheel PATENTED

- Heavy duty made in Polyethylene
- Anti slip floor.
- Handle at the rear part for transport.
- Equipped with wheels for an easy transport

BRAND NEW PRODUCT



FEATURES & DIMENSIONS

1000 High Panel. Supplied with either flat plate or angle extension brackets (To be specified when ordering).

Unique locking mechanism comprising of two fixed nylon locking plates, into which locates a nylon-coated steel drop latch. The fixed locking plates have the advantage of reducing the number of moving components thereby eliminating parts becoming loose.

The operating rod of 50 x 25 RHS runs on nylon rollers and moves in a vertical arc to raise the drop latch and release the yoke.

The design of drop latch incorporates a location which keeps it in contact with operating rod. The constant engagement enables the top of the yoke arm to remain central throughout its movement, avoiding contact and consequently noise by being kept clear of the top rail at all times. This feature is especially advantageous if the yoke panels are inclined forwards.

Counterbalanced yoke arm. This feature eliminates the need for springs or rubber mouldings to return the yoke arm to open position. It also has the advantage of deflecting overspill of feed into the trough, when used with a TMR feeder.

Rubber buffers at the top and bottom of the yoke reduce noise. Operating rods can be simply connected together to form a long run.

The panels should preferably be bolted to the front face of building stanchions to enable the operating rod to be made continuous. The panels can be inclined by alternating the direction in which upper and lower angle extension brackets are fitted.

The facility is made to insert a pin into any yoke to enable individual animals to be locked in whilst others are released.

Welland Crush (Standard)

An ideal all round crush, perfect for tagging, injecting and TB testing.

Adjustable width yoke, sliding access gates, anti-slip battens, galv chequer plate floor, 3-point linkage, backing up bar and 9mm thick rot resistant and noise deadening Stokbord® clad sides.



| Product Code | Description |
|--------------|---|
| 500-03 | Restrains popular commercial beef and dairy breeds, from approximately 250kg up to 750kg. |

| Specification (Dimensions) | |
|----------------------------|----------|
| Overall length | 2540mm |
| Internal width | 750mm |
| Overall width | 1050mm |
| Internal height | 1645mm |
| Overall height | 2045mm |
| Yoke aperture | 120mm to |
| Width | 240mm |
| Weight | 320kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| ✓ | ● | ✗ | ✗ | ✗ |

✓ Standard ● Optional Extra ✗ Not Available



Universal Crush (Standard)

Heavy duty general purpose cattle crush, suitable for checking ear tags, injecting and general veterinary treatment.

Yokes contain TB doors as standard for easy neck access.



| Product Code | Description |
|--------------|--|
| 500-05 | Restrains popular commercial beef and dairy breeds, from approximately 250kg up to 1000kg. |

| Specification (Dimensions) | |
|----------------------------|----------|
| Overall length | 2540mm |
| Internal width | 750mm |
| Overall width | 1050mm |
| Internal height | 1645mm |
| Overall height | 2045mm |
| Yoke aperture | 120mm to |
| Width | 240mm |
| Weight | 410kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | ● | X | ✓ | X |

✓ Standard ● Optional Extra X Not Available



Empire Crush (Standard)

A multi-purpose cattle crush, suitable for checking ear tags, injecting and general veterinary treatment.

Yokes contain TB doors as standard for easy neck access.



| Product Code | Description |
|--------------|---|
| 500-07 | Suitable for dairy cattle and commercial beef breeds from 350kg up to 1000kg. |

| Specification (Dimensions) | |
|----------------------------|----------|
| Overall length | 2540mm |
| Internal width | 750mm |
| Overall width | 1050mm |
| Internal height | 1645mm |
| Overall height | 2045mm |
| Yoke aperture | 120mm to |
| Width | 240mm |
| Weight | 380kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | ● | ● | ✓ | X |

✓ Standard ● Optional Extra X Not Available



Devon (Premium)

A cattle crush with adjustable width automatic neck yoke and drop down rump bar, designed to handle commercial beef or dairy cattle.



| Product Code | Description |
|--------------|---|
| 515-08 | Restrains popular commercial beef breeds from approximately 300kg up to 1000kg. |

| Specification (Dimensions) | |
|----------------------------|----------|
| Overall length | 2300mm |
| Internal width | 750mm |
| Overall width | 1050mm |
| Internal height | 1770mm |
| Overall height | 2015mm |
| Yoke aperture | 120mm to |
| Width | 260mm |
| Weight | 450kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | • | • | ✓ | • |

✓ Standard • Optional Extra X Not Available



Ambassador (Premium)

A general purpose cattle crush with fully adjustable neck yoke, drop down rump bar and full access gates. Ideal for horned cattle.



| Product Code | Description |
|--------------|---|
| 510-08 | Suitable for all breeds from 350kg up to 1000kg |

| Specification (Dimensions) | |
|----------------------------|----------|
| Overall length | 2540mm |
| Internal width | 750mm |
| Overall width | 1110mm |
| Internal height | 1770mm |
| Overall height | 2070mm |
| Yoke aperture | 130mm to |
| Width | 250mm |
| Weight | 450kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | • | • | ✓ | • |

✓ Standard • Optional Extra X Not Available



NEW DESIGN

Ambassador manual squeeze crush (Premium)

Based around our popular Ambassador crush, we kept the yoke the same but have redesigned the side rail and doors, incorporating our easy "pull open and slam to shut" handles. The rear door has been replaced by a manually operated sheeted sliding door.

A new roll-through backing up bar, removable side bar, TB doors and stokboard clad sides have now been added to our original design.

The width is altered by our unique design operating wheel. This allows infinite adjustment from 750mm down to 300mm and once the width has been set the animal cannot push the sides back out.

Suitable for all breeds from 50kg up to 1000kg



| Product Code | Description |
|--------------|---|
| 510-21 | This is a general purpose cattle crush with fully adjustable neck yoke, width adjustable sides and is ideal for horned or dehorned cattle and calves. |

| Specification (Dimensions) | |
|----------------------------|----------------|
| Overall length | 3000mm |
| Internal width | 750mm to 300mm |
| Overall width | 1100mm |
| Internal height | 1780mm |
| Overall height | 1720mm |
| Yoke width | 130mm to 250mm |
| Weight | 520kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | • | X | ✓ | • |

✓ Standard • Optional Extra X Not Available

NEW DESIGN

Devon Manual Squeeze Crush (Premium)

Following incredible interest and large volumes of sales on our 2013 Ambassador squeeze crush – it was inevitable the question would arise if we could manufacture an automatic yoke version.

From our experience, we would suggest the automatic yoke to be more useful with faster moving beef cattle – whilst horned or slower, less reluctant animals (eg. Dairy Cattle) may be better suited to the manual yoke version.

The width is still reduced by our unique system – the first of its kind to be used on a cattle crush to our knowledge. Where by turning the operating wheel through a clutched/braked mechanism – the animal is securely held in place and cannot push the sides back out only by turning the wheel yourself can the sides be released or closed tighter.



| Product Code | Description |
|--------------|--|
| 515-20 | Due to this wheel operation, reduction is infinite between 750mm to 300mm. Suitable for most breeds from 50kg up to 1000kg |

| Specification (Dimensions) | |
|----------------------------|----------------|
| Overall length | 2400mm |
| Internal width | 750mm to 300mm |
| Overall width (crush) | 1110mm |
| Width (inc sliding door) | 1780mm |
| Internal Height | 1720mm |
| Overall height | 2135mm |
| Yoke width | 130mm to 250mm |
| Weight | 520kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | • | X | ✓ | • |

✓ Standard • Optional Extra X Not Available

FEATURED PRODUCT

TAMAR SQUEEZE



NEW DESIGN

- Squeeze sides similar to Ambassador & Devon crush adjusting from 750mm down to 300mm
- Lower access doors, clad with 9mm stokbord
- Removable side rails
- Flat 3mm chequer plate floor to give better access when suckling a calf
- Rear sliding door which can be operated from either side of the crush
- Full height automatic yoke gates with fully sheeted panels. Adjustable width from 100mm to 250mm
- Neck access doors on both sides for T.B testing or injecting
- Hydraulic Chin Scoop as standard

| | | | | |
|---|---|---|---|---|
| | | | | |
| X | • | X | ✓ | ✓ |

✓ Standard • Optional Extra X Not Available



Hoof Master (Specialist)

A purpose built foot trimming crush, incorporating low pressure auto locking yoke, drop down adjustable rump bar, full access to all feet and one of the safest foot block designs available. Adjustable head yoke and braked winches.



| Product Code | Description |
|--------------|--|
| 518-01 | Suitable for dairy cattle from 350kg up to 1000kg. |

| Specification (Dimensions) | |
|----------------------------|----------|
| Overall length | 2540mm |
| Internal width | 750mm |
| Overall width | 1050mm |
| Internal height | 1645mm |
| Overall height | 2045mm |
| Yoke aperture | 120mm to |
| Width | 240mm |
| Weight | 380kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | • | ✓ | ✓ | • |

✓ Standard • Optional Extra X Not Available

Longhorn (Specialist)

A crush of unique design capable of handling varying sizes of cattle. Restrains horned and larger commercial beef and rare longhorn breeds from approximately 300kg up to 1500kg.



| Product Code | Description |
|--------------|--|
| 525-01 | Restrains commercial beef and dairy breeds from approximately 90kg up to 1200kg. |

| Specification (Dimensions) | |
|----------------------------|----------|
| Overall length | 2800mm |
| Internal width | 960mm |
| Overall width | 1060mm |
| Internal height | 1650mm |
| Overall height | 2000mm |
| Yoke aperture | 130mm to |
| Width | 480kg |
| Weight | 480kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| ● | ● | ● | ✓ | N/A |

✓ Standard ● Optional Extra ✗ Not Available

HYDRAULIC SQUEEZE CRUSH 527-01

Hydraulically operated head yoke can be adjusted to vary the width, before and after entrapment.

Yoke doors protected with thick rubber strips to grip animal's neck more comfortably also increases friction between neck and yoke to reduce movement.

Tandem sides to hydraulically squeeze the animal into a position of comfort and restraint. The unique Chin Lift with 'sweep in arc' and vertical adjustment restrains the animal's head to enable tagging, drenching, bolusing and dehorning.

4mm steel plate floor with 20mm rubber matting, together with 9mm Stokbord® cladding, creating an easy cleaning and quieter working environment. Swinging beam with controls to hydraulic functions, can be positioned to the rear, side or front of crush to avoid distraction to animals entering or exiting the crush.

Hinged doors give clear access for clipping and suckling calves. Front side doors to allow injecting and TB testing (only on TB model).

Full length side doors (only on Brisket model). Quick, easy, lift-to-open handles. Supplied as standard with 240v Hydraulic power pack.



Full length side doors



Tamar (Premium)

A unique multi task crush with drop down rump bar, capable of handling all size of animals from calves to bulls, with squeeze in sides and hydraulic chin lift.



| Product Code | Description |
|--------------|--|
| 525-01 | Restrains commercial beef and dairy breeds from approximately 90kg up to 1200kg. |

| Specification (Dimensions) | |
|----------------------------|----------------|
| Overall length | 2760mm |
| Internal width | 400mm to 760mm |
| Overall width | 1180mm |
| Internal height | 1700mm |
| Overall height | 2115mm |
| Yoke aperture | 100mm to |
| Width | 250mm |
| Weight | 650kg |

| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| ● | ● | ● | ✓ | N/A |

✓ Standard ● Optional Extra ✗ Not Available



Cattle handling trailer

The 'Bateman' Cattle Handling Trailer is designed to enable a handling system to be towed behind a tractor and assembled in a yard or field as required to avoid the need to move cattle.

This system is based on our unique 'Tamar' style crush and comes with a hand-operated hydraulic chin lift and a drop-down rump bar.



Other features include:-

- * Retractable wheels. Powered by the tractor hydraulic system
- * Retractable drawbar with pick-up ring
- * Sheeted sliding control gates
- * Personnel access area behind crush section
- * 8(no) 1650mm high x 2260mm long 6-rail hurdles to form race/corral
- * Fully hot dip galvanised (inc axle beam)

Product Code

528-01

Specification (Dimensions)

| | |
|-----------------|----------------|
| Overall length | 7050mm |
| Internal width | 2050mm |
| Overall width | 400mm to 750mm |
| Internal height | 1700mm |
| Overall height | 2530mm |
| Yoke aperture | 100mm to |
| Width | 250mm |
| Weight | 1500kg |


| 3 Point Linkage | Load Bars | Foot Trim | Pallet Lifting | Super Scoop |
|-----------------|-----------|-----------|----------------|-------------|
| X | • | • | ✓ | N/A |

✓ Standard • Optional Extra X Not Available

Foot Trim Package 540-50 or 540-51

Please note 540-50 trim package (as shown) is to suit the following crushes Empire, Devon and Ambassador.

The 540-51 package does not need the adjustable front winch assembly as it is to suit the Tamar, which already has this in place on the standard crush.



Specification

| | |
|---------------------------------------|------------------------------|
| 1. Adjustable front winch assembly | 16. 5/8" Washer |
| 2. Rear winch axle with wheel | 17. 1" Washer |
| 3. Pair of front blocks | 18. M8 Nut |
| 4. Pair of rear blocks | 19. M12 Nut |
| 5. Belly strap | 20. M16 Binx nut |
| 6. Lifting sling for belly strap | 21. 3/4" x 1 3/4" Cotter pin |
| 7. 1680 long Webbing strap with loops | 22. 8 x 60 Selock pins |
| 8. Rear leg sling | 23. 5" Tension spring |
| 9. 1500 long Marlow rope (not shown) | 24. 10 x 100 Carbine hook |
| 10. 16mm Footblock drilled pegs | 25. 12 x 140 Carbine hooks |
| 11. Winch release handle (cranked) | 26. 4mm 'R' clips 75 long |
| 12. 170 long 60 x 60 x 6 Angle | 27. M12 x 25 Male star knob |
| 13. M12 x 70 Bolt | 28. 30 x 10 Plastic sleeve |
| 14. M16 x 90 HT bolt | 29. M8 x 30 Hex set bolt |
| 15. M8 x 80 Hook bolt | 30. M8 Nyloc nut |

WHEELED CATTLE HURDLES



| Product Code | Size |
|--------------|------|
| 560-04-10 | 3.0m |
| 560-04-12 | 3.6m |
| 560-04-14 | 4.0m |
| 560-04-15 | 4.5m |

Specification

The most versatile and portable hurdle available. 1270mm overall high. Supplied with 4 wheels stock codes:

CHIN SCOOP



Product Code

540-61 (left hand)

540-60 (right hand)

SCOOP BRACKET

Product Code

540-62

Specification

(to suit Devon/Smithfield)
540-63 (to suit Ambassador)

i

(When ordering which hand you want- please view from the front of crush/ yoke) The chin scoop is an after market fitment and as such can be bolted to the Smithfield Yoke Gate, Ambassador Yoke Cage, Devon crush, Ambassador crush or Longhorn crush. N.B. If you have a yoke or crush more than 2 years old some drilling may be required. Also if you have an Ambassador- please ensure that your cage side doors have removable panels. The scoop only works on yokes that finish parallel when the animal is yoked and as such WILL NOT fit the Empire, Universal or Welland.

Electronic Weigh Systems

Electronic weighing has created a much more accurate and faster generation of weighing. Clamp or bolt your loadbars onto a crush or platform and once connected to a digital head you can begin weighing. No more guessing what the weight is whilst the old style mechanical clock needle jumps around- the weight is shown clear and precise on the LCD display. We would recommend using MP (multi purpose) loadbars. If you need to move your crush/platform around or HD (heavy duty) if you want to bolt your crush/platform to the floor and never have to worry about it moving out of place again. Different sizes of loadbars are available depending on your application. There is a variety of digital weigh heads- from the basic one only able to display weight. Up to the most advanced, which can record, store and retrieve individual animal weights, tag numbers, allow input of dam/sire, medical records and can be linked to an EID panel reader at a later date.

All weigh heads come complete with an in-built rechargeable battery.



EZIWEIGH5



EZIWEIGH7



ID5000



XR5000

| | | | | |
|-------------------------------|---------------------|------------------------------------|---|---|
| Internal Rechargeable Battery | ✓ | ✓ | ✓ | ✓ |
| Backlit Screen | ✓ | ✓ | 7" with unique transfective screen technology | 7" with unique transfective screen technology |
| Battery Life | ✓ 20 Hours run time | ✓ 20 Hours run time | ✓ 14 Hours run time, with continuous use | ✓ up to 13 hours |
| Computer Link | ✗ | ✓ | ✓ | ✓ |
| Memory | ✗ | ✓ 15,000 Records and 100 Sessions | ✓ 250,000 Records and 250 Sessions | ✓ 1 Million Records and 1,000 Sessions |
| EID Compatible | ✗ | ✓ | ✓ | ✓ |
| Bluetooth Connectivity | ✗ | ✓ | ✓ | ✓ |
| Comment Field | ✓ | ✓ 12 Digit comment field per entry | ✓ 3 fixed fields per animal | ✓ 100 custom fields per animal |
| Superdamp Technology | ✗ | ✓ | ✓ | ✓ |
| Daily Liveweight Gain Display | ✗ | ✓ | ✓ | ✓ |
| Group Statistics | ✗ | ✓ | ✓ | ✓ |
| Individual Statistics | ✗ | ✗ | ✓ | ✓ |
| AutoDraft Compatible | ✗ | ✗ | ✓ Up to 5 way drafting | ✓ Up to 10 way drafting |
| App | ✗ | ✓ Android | ✓ Android & Apple | ✓ Android & Apple |
| Withdrawal Period Alert | ✗ | ✗ | ✗ | ✓ |



MP600



MP800



MP1010



HD800



HD1010

| | | | | | |
|--------------------|----------|----------|----------|----------|----------|
| Portable/Temporary | ✓ | ✓ | ✓ | ✗ | ✗ |
| Permanent | ✓ | ✓ | ✓ | ✓ | ✓ |
| Capacity | ✓ 2000kg | ✓ 3000kg | ✓ 3000kg | ✓ 3000kg | ✓ 3000kg |

BRAND NEW PRODUCT SUPORHANDLER




NEW DESIGN

- 1750mm high
- stokbord clad
- inset forcing fins for optimum operator safety
- lever operated spring bolt for ease of use on forcing gate
- blanking plate down hangstile on forcing gate (to reduce gap and animal distraction)
- curved exit for faster, safer cattle flow
- now easier/faster to change handing (clockwise or anticlockwise flow)
- supplied in carry cradle which can be transported via 3-point linkage or forks




Cattle Hurdles



| Product Code | Size |
|--------------|--------------|
| 550-60-25 | 2.5m x 1.52m |
| 550-60-30 | 3.0m x 1.52m |
| 550-60-36 | 3.6m x 1.52m |
| 550-70-25 | 2.5m x 1.75m |
| 550-70-30 | 3.0m x 1.75m |
| 550-70-36 | 3.6m x 1.75m |

Gates in Hurdles/Frames



| Product Code | Size |
|--------------|------------------------------------|
| 550-71-25 | 2.5m x 1.75m hurdle c/w 1.3m gate |
| 550-71-30 | 3.0m x 1.75m hurdle c/w 1.3m gate |
| 550-72-25 | 2.5m x 1.75m hurdle c/w 0.65m gate |
| 550-72-30 | 3.0m x 1.75m hurdle c/w 0.65m gate |

Frames:


| Product Code | Size |
|--------------|-----------------------------|
| 550-02 | 0.85m race joining arch |
| 550-03 | 1.58m race joining arch |
| 550-04 | 0.85m race joining arch c/w |

Gate:

| Product Code | Size |
|--------------|----------------------------------|
| 550-67-01 | 1.58m race joining arch c/w gate |

Fixings:

| Product Code | Size |
|--------------|---------------------------------|
| 550-18 | Continuous wall plate with lugs |
| 550-19 | 19mm dia coupling rod |



Access Kiosk
550-68-01



Portable non return gate
550-14



Sliding gate
550-15

Yoke Gates

Designed to fit on the end of a portable or fixed race. These units can fit to new equipment or existing race with the appropriate connecting products.



AUTOMATIC YOKE GATE

This yoke is used on our Devon Crush this is an automatic self locking yoke that the animal runs into. Suitable for beef and dairy breeds. Facility to add chin scoop.

(Not recommended for animals with horns)

| Product Code | |
|--------------|--|
| 515-12 | |



AMBASSADOR YOKE GATE

Ambassador yoke gate – This yoke is used on our ambassador crush range and can be purchased as a single unit. The yoke squeeze simultaneously from each side and has width adjustment before and during entrapment. Facility to add a chin scoop.

| Product Code | |
|--------------|--|
| 510-12 | |



AMBASSADOR DOUBLE YOKE GATE

The double yoke has a dual ambassador yoke system that restrains the animal in 2 positions which results in leaving a large working access area to the animals neck. The yokes squeeze simultaneously from each side and have width adjustment before and during entrapment.

| Product Code | |
|--------------|--|
| SPECIAL | |

Water Troughs

Stock sizes shown below- special sizes available upon request.



Standard Water Trough 435mm Wide x 410mm Deep (no box)

| Product Code | Size | |
|--------------|------------------|------------|
| 610-01-02 | 625 long (2ft) | 24 Gallon |
| 610-01-03 | 900 long (3ft) | 35 Gallon |
| 610-01-04 | 1250 long (4ft) | 46 Gallon |
| 610-01-05 | 1500 long (5ft) | 58 Gallon |
| 610-01-06 | 1800 long (6ft) | 70 Gallon |
| 610-01-08 | 2500 long (8ft) | 93 Gallon |
| 610-01-10 | 3000 long (10ft) | 116 Gallon |



Bolt On Service Box (to suit above)

| Product Code | Size |
|--------------|--|
| 610-50-01 | To clamp to 435 wide trough (supplied flat pack) |
| 610-50-02 | ½" High pressure ball valve with plastic float |
| 610-50-03 | ¾" High pressure ball valve with plastic float |



Standard Water Trough 435mm Wide x 410mm Deep (welded end box)

| Product Code | Size | |
|--------------|------------------|------------|
| 610-02-02 | 625 long (2ft) | 24 Gallon |
| 610-02-03 | 900 long (3ft) | 35 Gallon |
| 610-02-04 | 1250 long (4ft) | 46 Gallon |
| 610-02-05 | 1500 long (5ft) | 58 Gallon |
| 610-02-06 | 1800 long (6ft) | 70 Gallon |
| 610-02-08 | 2500 long (8ft) | 93 Gallon |
| 610-02-10 | 3000 long (10ft) | 116 Gallon |



Standard Water Trough 435mm Wide x 410mm Deep (welded centre box)

| Product Code | Size | |
|--------------|------------------|------------|
| 610-03-02 | 625 long (2ft) | 24 Gallon |
| 610-03-03 | 900 long (3ft) | 35 Gallon |
| 610-03-04 | 1250 long (4ft) | 46 Gallon |
| 610-03-05 | 1500 long (5ft) | 58 Gallon |
| 610-03-06 | 1800 long (6ft) | 70 Gallon |
| 610-03-08 | 2500 long (8ft) | 93 Gallon |
| 610-03-10 | 3000 long (10ft) | 116 Gallon |



Medium water troughs 610mm Wide x 610mm Deep (welded end box)

| Product Code | Size |
|--------------|---|
| 610-12-04 | 4'-0" x 2'-0" x 2'-0" water trough c/w box |
| 610-12-06 | 6'-0" x 2'-0" x 2'-0" water trough c/w box |
| 610-12-08 | 8'-0" x 2'-0" x 2'-0" water trough c/w box |
| 610-12-10 | 10'-0" x 2'-0" x 2'-0" water trough c/w box |

Large water troughs 1200mm Wide x 610mm Deep (welded end box)

| Product Code | Size |
|--------------|-----------------------------|
| 610-22-06 | 1800 long (6ft) 270 Gallon |
| 610-22-08 | 2500 long (8ft) 360 Gallon |
| 610-22-10 | 3000 long (10ft) 440 Gallon |
| 610-22-12 | 3750 long (12ft) 530 Gallon |

Tipping Water Troughs



| Product Code | Size |
|--------------|-------------------------------------|
| 610-70-20 | 2000 long (6ft6") 72 gallon |
| 610-70-30 | 3000 long (10ft) 112 gallon |
| 610-50-02 | Tricoflex hose kit (optional extra) |

Specification

(floor mounted c/w end frames)

(used in cubicle housing where large volumes of clean water are required)

Fittings kit – supplied with ball valve assembly, elbow, tricoflex hose and connector (optional extra)



Swivel Troughs

These troughs are held rigid in a panel- allowing water to be drank from either side or can be shielded with a metal shroud to make the animals drink from a scrape passage. A strong robust trough with multiple uses, including; bulls, heifers, calves, sheep and deer.

Any fouling can soon be removed by releasing and rotating the trough to empty.



| Product Code | Size |
|--------------|-----------------------------|
| 610-61-05 | 500 long (1ft8") 5 Gallon |
| 610-61-07 | 750 long (2ft6") 8 Gallon |
| 610-61-10 | 1000 long (3ft4") 11 Gallon |

Poly Flex Drinker



This constant level drinker is a large heavy duty roto moulded polyethylene bowl and is suitable for cattle and horses. Equipped with 20mm flexible drain plug for cleaning and sturdy 4 hole mounting plate. 15 litres/minute.

Poly Flex Push



These push style drinkers are made of injection moulded polyethylene. They have been designed to easily bend when in contact with animals preventing them from breakage. 25mm drain plug and ½" male outlet protected at the back.

Superbac Field Water Trough



Made of rot proof polythylene resin and stabilized against UV rays and freezing temperatures, these water troughs are able to withstand detergents disinfectants and can be cleaned at high pressure. 32mm drain plug and reinforced smooth bottom. Available sizes are 450l, 650l, 1000l and 1500l.



Super Bac 500l



With the same specification and design features as the oval superbac this 500l round trough is another addition to the super bac range. Also available in 800l and 1000l sizes.



Tombstone Feed Ring



| Product Code | Size |
|--------------|---------------------------------------|
| 680-21 | 2500 Dia x 1200 H skirt 500mm high |

This strong design with the extended tombs welded to the top and bottom of the skirt is suitable for cattle (particularly horned) and also horses.

Freestanding 2 in 1's



| Product Code | Size |
|--------------|-------------------------|
| 660-01-30 | 3000 L x 750 D x 1400 H |
| 660-01-45 | 4575 L x 750 D x 1400 H |

| Specification |
|------------------------|
| (trough 750 D x 500 H) |

CATTLE FEED RINGS



| Product Code | Size |
|--------------|--|
| 680-01 | Standard cattle ring feeder, 470mm skirt |
| 680-02 | Standard cattle ring feeder, 610mm skirt |
| 680-10 | Heavy Duty cattle ring feeder, 610mm skirt |

YEARLING FEED RING



| Product Code | Size |
|--------------|--|
| 680-30 | 1600 Diameter x 1200 H skirt 400mm high |

Heavy Duty Barley Beef Feeder



| Product Code | Size | | |
|--------------|--------------|-------------------------|-----------------|
| 658-12-30 | Single sided | 3000 L x 700 D x 1525 H | 1400kg capacity |

Designed to be filled with a loader bucket- the 3mt long lid is easily opened and is wider than most standard buckets to avoid any spillages and therefore reduce wastage.

The flow control plate is adjusted from outside the unit for ease of operation

There are 8 feed spaces as standard, where the animals have to put their nose between the bars to feed- this is to prevent bullying and pushing one another off the feed.

A heavy duty construction more than capable of being left in a pen or field with stock bulls. The 1400kg capacity means you can fill it and leave for days. (Dependent on how many animals it is feeding)

CATTLE FEED TRAILERS



| Product Code | Size | |
|--------------|---------------------|----------------------|
| 659-01 | Heavy duty unit c/w | retractable draw bar |
| 659-02 | Standard unit c/w | fixed draw bar |
| 659-03 | Tombstone unit c/w | retractable draw bar |

| Specification |
|--------------------------|
| 4800 L x 1440 W x 1500 H |

PIG/BULLOCK TROUGHS



| Product Code | Size |
|--------------|--------------|
| 395-01-09 | 900 L (3ft) |
| 395-01-12 | 1200 L (4ft) |
| 395-01-18 | 1800 L (6ft) |
| 395-01-25 | 2500 L (8ft) |

| Specification |
|-------------------|
| 260mm W x 150mm H |

PORTABLE HAYRACK & MANGER



| Product Code | Size |
|--------------|-------------------------|
| 650-01 | 2440 L x 900 D x 1400 H |

Replacement trough (for above)

| Product Code | Size |
|--------------|------------------------|
| 101-650-01 | 2440 L x 800 D x 250 H |

STANDARD BARLEY BEEF FEEDER



| Product Code | Size |
|--------------|---------------------------------------|
| 658-0120 | Single sided 1930 long 320kg capacity |
| 658-0125 | Single sided 2540 long 430kg capacity |
| 658-0220 | Double sided 1930 long 320kg capacity |
| 658-0225 | Double sided 2540 long 430kg capacity |

2.5M BEEF TROUGH



| Product Code | Size |
|--------------|------------------------|
| 650-03 | 2500 L x 800 D x 700 H |

| Specification |
|--------------------------|
| Trough depths 230mm deep |

3.0M BEEF TROUGH



| Product Code | Size |
|--------------|------------------------|
| 650-07 | 3000 L x 800 D x 700 H |

| Specification |
|--------------------------|
| Trough depths 410mm deep |

ECONOMY RECTANGULAR FEEDER



| Product Code | Size |
|--------------|--------------------------|
| 650-30-2500 | 2500 L x 1370 D x 1400 H |
| 650-30-3000 | 3000 L x 1370 D x 1400 H |

HESTON BALE FEEDER



| Product Code | Size |
|--------------|------------------------|
| 650-12 | 3000 L x 1550 D x 1400 |

FEATURED PRODUCT

THE **SHEEP** VET



UNIQUE DESIGN

- Automatic head yoke (width adjustable)
- Squeeze down body clamp
- Cradle length adjustable
- Easy turning mechanism
- Step out cradle for complete access
- Perfect for dagging and general veterinary work

| Product Code | Size |
|--------------|------------------------------|
| 800-30 | 1730mm L x 550mm D x 900mm H |

Pedigree Sheep Vet (Large)

| Product Code | Size |
|--------------|------------------------------|
| 800-31 | 1900mm L x 550mm D x 900mm H |

Electronic Lamb Weigher



- Suitable for indoor and outdoor use
- Fully galvanised
- Spring release front and rear doors
- Complete with mounting bracket suspension load cell to take digital weigh head of choice (not included)
- Maximum weight capacity of 3000kg
- Dimensions: 1200mm (L) x 550mm (D) x 1000mm (H)
- Tapered sides to keep lambs in position

| Product Code | Size |
|--------------|---|
| 800-52 | Dims: 1200 L x 550 D x 1000 H Max weigh head capacity 3000kg |

Electronic Sheep & Calf Weigher

Please see page 10 for more details



- Heavy duty weighing crate suitable for calves, sheep or pigs
- Suitable for indoor and outdoor use
- Fully galvanised
- Spring release front and rear doors
- Complete with mounting bracket suspension load cell to take digital weigh head of choice (not included)
- Maximum weight capacity of 3000kg
- Dimensions: 1500mm (L) x 700mm (D) x 1290mm (H)
- Tapered sides to keep lambs in position

| Product Code | Size |
|--------------|---|
| 800-62 | Dims: 1500 L x 650 D x 1200 H Max weigh head capacity 3000kg |

Mechanical Lamb Weigher



- Suitable for indoor and outdoor use
- Fully galvanised
- Spring release front and rear doors
- Complete with a weighing clock
- Maximum weight capacity of 100kg
- Dimensions: 1200mm (L) x 550mm (D) x 1000mm (H)

| Product Code | Size |
|--------------|--|
| 800-50 | Dims: 1200 L x 550 D x 1000 H Max weigh head capacity 100kg |

Stand in Sheep Footbath



| Product Code | Size |
|--------------|---|
| 800-11 | Comprising: 2x 2.5m sheeted hurdles, 2x 1.0m guillotine gates, 1x foot bath* with matting *Replacement footbath available (2.5m x 1.0m) |

16'0" Sheep Handling Starter Unit



| Product Code | Size |
|--------------|--|
| 806-1100 | Comprising: 4x 2.5m sheeted hurdles, 1x 0.5m (standard) guillotine gate, 1x drafting gate, 1x eco joining frame, 6x coupling rods |

Lamb Adopter Starter Unit



| Product Code | Size |
|--------------|---|
| 800-70 | Comprising: 1x front with bucket holder, 2x sheeted sides, 1 x rear panel with access door and coupling rods. |

Lamb Adopter Add On Unit

Lamb adopter add on units are supplied as:

- 1(no) Front with bucket holder
- 1(no) Sheeted side
- 1(no)Rear panel with access door and coupling rods

| Product Code | Size |
|--------------|--|
| 800-71 | Comprising: 1x front with bucket holder, 1x sheeted side, 1 x rear panel with access door and coupling rods. |

2.5m Knee In Hurdle



| Product Code | Size |
|--------------|---|
| 820-24 | A simple 2.5m long sheeted hurdle with diverter/access gate, that can be pushed in with a knee- keeping your hands free to work |

Sheep Head Yoke



| Product Code | Size |
|--------------|--|
| 800-25 | This yoke can be placed into a standard 500mm centres race. It can be left open to allow standard sheep flow- or engage the yoke gates to trap an animal |

Sheep Race Equipment & Accessories

4.8m Chatham Chaser (complete unit- heavy duty)

code: 800-053

Comprising: 3x radius sheeted hurdles, 2x radius gates in frame,
1x hinged exit gate, 1x hoskin gate in frame.
N.B. Guillotine gate optional extra



0.5m Standard Guillotine gate code: 806-02

N.B. vertical movement
only, no walk through facility



12mm coupling rod code: 800-12

16mm coupling rod code: 800-16



2.2m x 0.45m Steel Footbath code: 800-20

To be placed inside 500crs race



Standard Drafting Gate code: 800-06



Shedding/Stop Gate code: 800-07



Clamp On Non-Return Gates code: 800-08



2.5m Standard Sheeted Hurdle code: 806-24



Eco Joiner code: 806-03



Heavy Duty Sheep Race Equipment

HEAVY DUTY SHEETED SHEEP HURDLES



(Rails: 40x40x2mm RHS) 900mm High

| Product Code | Size |
|--------------|--------|
| 810-09 | 900mm |
| 810-12 | 1200mm |
| 810-18 | 1800mm |
| 810-24 | 2400mm |

HEAVY DUTY RAIL SHEEP HURDLES



(Rails: 38mm x 1.5mm tube) 900mm High

| Product Code | Size |
|--------------|--------|
| 811-09 | 900mm |
| 811-12 | 1200mm |
| 811-18 | 1800mm |
| 811-24 | 2400mm |
| 811-30 | 3000mm |

SLIDING HURDLES



Railed:

| Product Code | Size |
|--------------|--------|
| 814-18 | 1800mm |
| 814-24 | 2400mm |
| 814-30 | 3000mm |



Sheeted 900mm High

| Product Code | Size |
|--------------|--------|
| 813-18 | 1800mm |
| 813-24 | 2400mm |
| 813-30 | 3000mm |

DIP ENTRY SHEETED HURDLES



| Product Code | Size |
|--------------|--------|
| 812-24 | 2400mm |
| 812-30 | 3000mm |

Specification

900mm High with removable panel

Heavy Duty Sheep Race Equipment

PAIR OF GATES IN 2530 WIDE FRAME



| Product Code |
|--------------|
| 819-253 |

| Specification |
|--|
| Pair of 900 high gates with drop bolt and drop over frame in 2530 wide x 2000 high frame |

HEAVY DUTY RACE JOINING FRAMES



| Product Code | Size |
|--------------|-----------|
| 817-05 | 500mm crs |
| 816-10 | 600mm crs |

500mm crs Incorporating an adjustable backing up bar:

| Product Code | Size |
|--------------|-----------|
| 817-05-01 | 500mm crs |

SWING GATE IN FRAME



| Product Code | Size |
|--------------|--------|
| 815-09 | 900mm |
| 815-12 | 1200mm |
| 815-24 | 2400mm |

| Specification |
|--|
| 900mm High c/w sheep drop over latch (rails: 38mm x 1.5mm tube). |

HURDLES WITH ACCESS GATE



| Product Code | Size |
|--------------|--------|
| 818-160 | 1600mm |
| 818-185 | 1850mm |

| Specification |
|--|
| (Rails: 38mm x 1.5mm tube) 900mm High hurdle with 960mm Access Gates |

WALK THROUGH GUILLOTINE GATES




| Product Code | Size |
|--------------|------------|
| 816-05 | 500mm crs |
| 816-06 | 600mm crs |
| 816-10 | 1000mm crs |

| Specification |
|---|
| (Gate allows walk through or vertical movement) |

Sheep systems

These are our standard 'off the shelf' sheep handling systems. As well as these we naturally offer a full, bespoke, made-to-measure service for individual one-off designs/layouts. Please call your Area Representative to discuss options (see contact information)

SYSTEM NO.1




Sheep system No 1 code: 830-01

To handle approx 75 sheep.

Please note can be increased with extra hurdles at later date

SYSTEM NO.2




Sheep system No 2 code: 830-02

To handle & sort approx 100 sheep.

Please note can be increased with extra hurdles at later date

Sheep systems

SYSTEM NO.3




Sheep system No 3 code: 830-03

To handle approx 16 sheep.

Please note can be increased with extra hurdles at later date

SYSTEM NO.4




Sheep system No 4 code: 830-04

To handle & sort approx 24 sheep.

Please note can be increased with extra hurdles at later date

Sheep systems

SYSTEM NO.5




Sheep system No 5 code: 830-05

To handle & sort approx 70 sheep.

Please note can be increased with extra hurdles at later date

SYSTEM NO.6



Sheep system No 6 code: 830-06

To handle & sort approx 90 sheep.

Please note can be increased with extra hurdles at later date

Hurdles

All hurdles (excluding lamb creep) sold in packs of 25.



| Product Code | Size |
|--------------|--|
| 801-10-04 | 4ft (1220) Long Midrange Sheep Hurdle |
| 801-10-05 | 5ft (1525) Long Midrange Sheep hurdle |
| 801-10-06 | 6ft (1830) Long Midrange Sheep hurdle |
| 801-10-08 | 8ft (2440) Long Midrange Sheep hurdle |
| 801-38-04 | 4ft Mid range hurdle c/w lugs and coupling rods |
| 801-38-06 | 6ft Mid range hurdle c/w lugs and coupling rods |
| 801-38-08 | 8ft Mid range hurdle c/w lugs and coupling rods |
| 801-11-04 | 4ft (1220) Long Midrange Lambing Hurdle (MESHED) |
| 801-11-06 | 6ftt (1525) Long Midrange Lambing hurdle (MESHED) |
| 801-11-08 | 8ft (1830) Long MidrangeLambing hurdles (MESHED) |
| 801-05-04 | 4ft Heavy duty Lambing hurdle c/w lugs and rods (MESHED) |
| 801-05-06 | 6ft Heavy duty Lambing hurdle c/w lugs and rods (MESHED) |
| 801-05-08 | 8ft Heavy duty Lambing hurdle c/w lugs and rods (MESHED) |



LAMB CREEP HURDLES



| Product Code |
|---|
| 801-06-06 |
| Specification |
| 6ft Lamb creep hurdle with eight fixed apertures (left image) |
| Product Code |
| 801-07-06 |
| Specification |

6ft Lamb creep hurdle with one adjustable apertures(right image)

Sheep Ring Feeders

Supplied with coupling rods as standard.

STANDARD SHEEP RING



| Product Code | Size |
|--------------|---|
| 860-02 | 250mm Sheet metal skirt, 1600mm dia ring x 915mm high |

HORNED SHEEP RING



| Product Code | Size |
|--------------|--|
| 860-04 | 250mm Sheet metal skirt, 1600 diam ring x 915mm high |

DIAGONAL SHEEP RING



| Product Code | Size |
|--------------|---|
| 860-14 | 250mm Sheet metal skirt, 1600mm dia ring x 915mm high |

OUTDOOR SHEEP FEEDER



| Product Code | Size |
|--------------|--|
| SPECIAL | 1530mm high x 1670mm dia (1270mm internal dia) 12 space feeder with six anchor points |



Rigid Lamb Creep Shelter



Complete with hopper & wheels

| Product Code | Size |
|--------------|--|
| 850-01-1250 | 1250mm long x 915mm wide with width adjustable apertures |
| 850-01-2500 | 2500mm long x 915mm wide with width adjustable apertures |

Heavy Duty Lamb Creep Feeder



| Product Code | Size |
|--------------|---|
| 850-06-25 | 2500mm long x 610mm wide with width adjustable, spring release apertures and internal hopper. |

Heavy Duty Sheep Hayrack & Manger on wheels



| Product Code | Size |
|--------------|---|
| 850-10-25 | 2500mm long x 500mm wide with central hayrack and lid |
| 850-10-30 | 3000mm long x 500mm wide with central hayrack and lid |

Lamb Creep Feeder with L shaped creep frontage



| Product Code | Size |
|--------------|--|
| 850-08-20 | 2500mm long x 700mm wide x 700 high, with height adjustable apertures and internal hopper. |

Hogg Feeder



| Product Code | Size |
|--------------|--------------------------|
| 850-12-25 | 2500 L x 1380 D x 1060 H |

Fully galvanised unit with forklift channels for easy movement, externally operated feed flow control plate, central feed hopper (450kg capacity) with weather proof lid and double canopy to protect feed on both sides from the elements.

Adjustable legs allow a feed height from 280mm to 360mm

Sheep Feed Trailer



| Product Code | Size |
|--------------|--------------------------|
| 850-25-50 | 5000 L x 1525 D x 1400 H |

Fully galvanised towable unit with pick up hitch and oversized inflated tyres- to reduce the trailer sinking in on wet land.

Central pitched feed base to reduce feed wastage

54 individual feeding spaces

Hook Over Sheep Troughs



0.9mm galv sheet steel

| Product Code | Size |
|--------------|-------------|
| 853-02-090 | 900mm long |
| 853-02-120 | 1200mm long |
| 853-02-180 | 1800mm long |
| 853-02-250 | 2500mm long |

Hook Over Hayracks- see Calf Section

2740mm Sheep Trough



| Product Code | Size |
|--------------|------------------------------|
| 851-01 | 2740 L x 200 D x 150 H |

Sheep Big Bale Cradle



| Product Code | Size |
|--------------|--------------------------------|
| 850-02 | 1500 L x 1000 D x 1500 H |

Walk Through Feeders



| Product Code | Size |
|--------------|------------------------|
| 855-01-12 | 1250 long Double sided |
| 855-01-18 | 1830 long Double sided |
| 855-01-25 | 2500 long Double sided |
| 855-01-30 | 3000 long Double sided |

Extras:

- Why not complete your walk throughs' with the following options?
- Self closing end gate- this spring loaded gate is strong enough to stop any lambs/hoggs escaping**
- Hayrack units- these sit on top of the walk through frame and allow pellets to be fed in the lower trough and hay in the top rack**



SELF CLOSING END GATE



HAYRACK UNITS



Made to Measure

All equipment in this section is classed as special/made to order items. As such, these items will have a lead time on them. Whilst we strive to provide them as soon as possible these lead times may increase during our busier periods.

From cattle, sheep, pigs, deer, dogs and horses- we have a system to suit your requirements. Please call your Bateman representative to arrange a free on-site visit.

We will design a set-up to suit you- not try to force you to have an 'off the shelf item' that you will have to make do with or alter to make fit.

We pride ourselves on the level of service we provide -at no extra cost!

INTERNALS



FEED SYSTEMS



HANDLING SYSTEMS



BESPOKE HANDLING SYSTEMS

As well as standard 'off the shelf' items, we also offer a free of charge design service. Please see a few examples and features below;



Inset Forcing Fins

These are an optional extra- instead of the nylon bar running up and over fins around the top of the forcing circle. The door can only be pushed around (one way) by yourself, preventing animals forcing the door backwards into you and knocking you over.



Walkway

Raise you height above the race panels to allow easy animal viewing (whilst they are in the race) or to create the ability to apply pour-on down their backs. Open grate to increase grip and allow muck to drop through. Available as an optional extra- please call for prices



One of our experienced Sales Managers will arrange a site visit and design a race to suit your requirements and working area.

Animal and user safety is always at the forefront of our design, but needless to say these schemes vastly improve animal flow and reduce operating times.



Modern European Cow Cubicles

These cubicles are the new standard in cow comfort. Available in three main different style cubicles (see the following detail), we have a loop to suit every breed/size of animal.

N.B. We can still supply old style cubicle loops e.g. Straight leg mushroom, Heavy duty mushroom and Newton Riggs- Freestanding or Bolt to wall- please call for prices and availability.

STANDARD EUROPEAN COW CUBICLE



Product Code

600-20-length

Specification

Designed to suit smaller dairy breeds- Fresian, Guernsey or Jersey, this original Euro loop was the first to start the cow comfort range.

Available in 3 standard lengths:

- * 1750mm loop to suit 2135mm bed
- * 1870mm loop to suit 2285mm bed
- * 2000mm loop to suit 2440mm to 2590mm bed

All the above sizes can also be used on larger Head to Head runs. Recommended bed centres of 1145mm
A smaller Youngstock version is available

HIGHNECK EUROPEAN COW CUBICLE



Product Code

600-35-length

Specification

Designed to suit larger breeds of dairy animals, ideally Holstein or FresianXHolstein.
This deeper loop lifts the headrail to allow the animal to get to its feet without obstruction.

Available in 3 standard lengths:

- * 1750mm loop to suit 2135mm bed
- * 1870mm loop to suit 2285mm bed
- * 2000mm loop to suit 2440mm to 2590mm bed

All the above sizes can also be used on larger Head to Head runs

Recommended bed centres of 1145mm to 1220mm



PARALLEL COW CUBICLE



Product Code

600-30

Specification

The parallel cubicle is our 3rd generation of European style cow cubicle which has been designed specifically with large Holsteins in mind. The extra "kick" on top of the cubicle loop raises the head rail to allow the animal to stand with all four feet on the bed. This was done to improve lameness by removing the pressure sent to the rear feet when the animal would stand with its front feet on the bed but its back feet in the scrape passage.

Available in 3 Standard lengths:

- * 1750mm loop to suit 2135mm bed
- * 1870mm loop to suit 2285mm bed
- * 2000mm loop to suit 2440mm to 2590mm bed

All the above sizes can also be used on larger Head to Head runs.



AI Stalls with Rear Operated Front gates



| Product Code | Size |
|--------------|---|
| 595-01 | 2100 long 5-rail Wall Fitting Unit |
| 595-02 | 2100 long 5-rail Free-Standing Unit |
| 595-03 | 2100 long Unit at 760mm centres, supplied as 1x side panel, 1 x front opening rear operated gate, 1x rear frame |
| 595-04 | 2100 long End panel to complete above run |
| 595-11 | Additional Chain & Hook Assembly |

N.B. Front gates available as a special with yokes built in as seen above.

Feed Fence Systems



Diagonal Feed Fence 920 high (no skirt)

| Product Code | Size |
|--------------|---|
| 700-02-2970 | 2970 long Panel c/w plate ends |
| 700-02-3050 | 3050 long Panel c/w plate ends |
| 700-02-4570 | 4570 long Panel c/w plate ends |
| 700-05-4420 | 420 long Panel c/w adjustable ends- this panel is used to fit within the web of RSJ's at 4575 (15ft) centres. (See photo to left) |



Special sizes available upon request

Stokbord© skirt can be used instead of timber if required this will incur an extra charge

Diagonal Feed Fence 1390 high (with timberskirt)

| Product Code | Size |
|--------------|--|
| 700-16-2970 | 2970 long Panel c/w plate ends |
| 700-16-3050 | 3050 long Panel c/w plate ends |
| 700-16-4570 | 4570 long Panel c/w plate ends |
| 700-15-4420 | 4420 long Panel c/w adjustable ends- this panel is used to fit within the web of RSJ's at 4575 (15ft) centres. |

These barriers can be made as gate units at 1365mm high complete with hinges and slide bolts.

Horizontal Rail Adjustment Feed Fence Panels

SPECIAL FEED BARRIERS



Made to order. As such these are available in any combination- with out with out skirt, as a fixed panel or as a hinged gate and in any length you require.

This barrier can be used with all ages of animals- with youngstock you just need to bring the feed rail height down. With larger animals just increase to the desired height or remove completely.

Whilst the lack of an individual feed space could increase the chance of animal's pushing each other off the feed- it will reduce tag loss

SINGLE FEED RAILS



The most cost effect way of creating a feed system. A single feed rail is usually mounted onto existing RSJ's by U bolts. This can be evolved into using a feed rail with an anti-jump rail above it (see photo to left) to prevent beef cattle jumping out.

The other option is to mount the rail via a collar bracket. The feed rail slides inside a collar which is 'pinched' onto the RSJ's via lindapters- this allows infinite adjustment of the feed rail. The other advantage with the collar system is that you can extend the collars- pushing the feed rail further away from the RSJ. This gives the animal's greater reach whilst feeding and reduces sores creating from neck rubbing/pressure.

Specialist Feed Systems

TOMBSTONE FEED FENCE



Originally designed to be used by Longhorn cattle, these can also be used by any horned cattle breeds, tall cattle, bulls or horses.

Available with or without timberskirt. These units can be made as a fixed panel or a hinged gate

Youngstock version and extra strong buffalo/bison versions are also available



DUAL SWINGING 2 IN 1 UNITS – HEAVY DUTY

A 2 in 1 unit is a barrier supplied with a hook on trough, use the following steps to find out what you need:



Size: Our 3 standard sizes are:

- * 450 wide x 300 deep
- * 600 wide x 300 deep
- * 750 wide x 350 deep

Step 1. Decide which style of barrier suits you best- a diagonal feed fence, heavy duty yokes or horizontal adjustable rail version

Step 2. How do you want it hanging? Is it to be a gate unit- to hinge from one end with slide bolts at the opposite end. Or do you want it dual acting- hinge eyes both ends, connected to lugs on the RSJ's by a heavy duty rod. This allows the unit to be opened from either end.
Or possibly a fixed unit?

Step 3. What size trough do you require?
As standard the length would be the same size as the barrier, it is the width and depth that need to be confirmed.

Step 4. Do you want a timber/stokbord® skirt on the barrier (optional extra) or are you allowing the back of the trough to act as the skirt (quoted as standard)?

Step 5. Receive and hang your shiny new units

Step 6 Step back and admire the reduced wastage and reduced time spent cleaning up food that had previously been pushed too far away for the cattle to reach.



OTHER SIZES ARE AVAILABLE UPON REQUEST.
TROUGH AVAILABLE IN STEEL OR TIMBER FINISH

Specialist Feed Systems

DIAGONAL FEED FENCE C/W LIFT-UP SKIRT FOR SHEEP



PHOTO SHOWING SKIRT IN RAISED, LOCKED POSITION TO ALLOW SHEEP TO FEED THROUGH

Diagonal Feed Fence 1390 high (with timberskirt)

A specially manufactured barrier with a lift up skirt, which is raised and locked in place when being used for sheep or lowered and locked in when being used for cattle. A truly universal barrier. These units can be made any length to fit your requirements and are available as a fixed panel or hinged gate unit.

Please call for prices



OUTDOOR CATTLE FEEDER

- Tombstone feeding panels
- Fitted with roof for protection against bad weather
- Curve of the roof allows passage for big bales
- Height adjustable roof
- 12 space feeder

2000mm x 2000mm



OUTDOOR HORSE FEEDER

- Reinforced feeding panels
- Fitted with roof for protection against bad weather
- Height adjustable roof
- 16 head spaces adapted for 10 horses

2000mm x 2000mm

Heavy Duty Cattle Troughs

HOOK ON GALVANISED FEED TROUGHS



These troughs can supplied in any length but are a available in three standard sizes

- 450 wide x 300 deep
- 600 wide x 300 deep
- 750 wide x 350 deep

Please note if ordering to fit existing barriers you will need to confirm the RHS (box section) size they are to hook onto. Our standard hooks are to suit either our 50x50 or 60x60 RHS barriers, however we can manufacture to fit your requirements

Timber troughs are also available, please ask for prices at time of enquiry/order.



SPECIAL 'PUSH THROUGH' TROUGHs



This unique design allows the trough to be filled from outside the pen and then pushed through into the pen for the animals to feed from the inside. Used where safety or contamination restrictions are in place. Why would you go into a pen with a bull if you didn't have to? Supplied with locking handle to prevent animals pushing trough back through

These troughs are built into a heavy duty sheeted door (various heights available), this is to reduce low level draft and bad weather blowing into the pen- making these units ideal for calving pens and deer set-ups.

Sheep Feed Barriers

VERTICAL RAIL SHEEP BARRIERS



Vertical rail feed barriers (not suitable for horned breeds) complete with timberskirt (or Stokbord© skirt as an optional extra) and with drilled lugs or hinge eyes each end

These panels can also be manufactured with drilled plate or angle ends to allow bolting to RSJ's

Please state requirements when calling for a quote

HORIZONTAL RAIL SHEEP BARRIERS



Twin adjustable rail feed barriers (suitable for all breeds) complete with timberskirt (or Stokbord© skirt as an optional extra) and with drilled lugs or hinge eyes each end

The lower rail is positioned for the animals to feed comfortably under, whilst the top rail stops them jumping out.

These panels can also be manufactured with drilled plate or angle ends to allow bolting to RSJ's or posts.

SHEEP FEED BARRIERS C/W ACCESS GATE



A 900mm long Access gate can be built into either end of a vertical rail or horizontal rail feed barrier.

This creates fast and easy access in and out of the pen- without having to open the complete barrier, which could be 4575 (15ft) long

Available to swing over the fixed timberskirt or for the skirt to be split and one part to be in the 900mm gate and open with it, whilst the other part stays fixed in the remainder of the feed barrier

SHEEP PENNING



PLEASE NOTE: SPECIALIST SCHEMES AVAILABLE UPON REQUEST. PLEASE CALL TO ARRANGE A SITE VISIT

Heavy Duty Sheeted Doors

Heavy duty sheeted doors are a special item and as such can be made in a variety of different lengths and sizes- please call with specification for a quote. We will advise before quoting if your door is too big (for health and safety reasons) and if it needs to be made in sections and bolted together on site. All sheeted doors are supplied with bolt on top lifting brackets - to allow safe lifting on and off our wagon and for use on-site when lifting into place.



Bull Penning



| Product Code | Size |
|--------------|--|
| 780-009 | Feed hatch with fittings |
| 780-001 | Self locking corner bull tie |
| 780-002 | Twin post ladder refuge |
| 780-004 | Service pen entrance gate |
| 780-005 | Service pen exit yoke gate |
| 780-006 | 1100mm vertical rail entrance gate |
| 780-007 | Heavy duty Sliding door assembly with all sliding gear etc |
| Special | Service pen closely spaced assembly panels, 2700mm and 3050mm with posts |
| Special | 2500mm vertical rail entrance gate |
| Special | 3660mm vertical rail entrance gate |

Vertical rail panels available upon request




Special Bull Yokes & Feed Barriers

Specialist Bull yokes/feed barriers are available, please see a few examples below for ideas or call with your specific requirements.



Pig Equipment



All pig gates are manufactured with a 40x40 RHS frame and come complete with a diagonal locking bolt

Sheeted versions are made 1250 high- to suit the galvanised sheet size
(Stokbord© is available at an optional extra).

The vertical rail or meshed option is manufactured at 1145 high-as standard.

Dog Penning



All of our dog penning is supplied in flat pack panels- to be assembled on site.

The standard panels are all 1.8m wide x 1.8mt high and are supplied either meshed or vertical railed

Please specify at point of order if you require meshed or vertical railed and if you are building a block of pens- remember to order one complete free-standing pen and then leave one side off the rest of the pens you order

Specialist Schemes

Bateman have supplied equipment for many zoos and farm parks across the UK.

These specialist schemes include a Rhino crush, elephant penning and alpaca handling systems. If you have an enquiry please contact us for a free on site consultation.





LM Bateman & Co Ltd is proud to present a fantastic NEW range of equestrian products to add to our existing product range. Bateman have partnered up with French manufacturer La Gée to offer the UK market an extensive range of the highest quality equestrian products. Please contact your area sales manager for a full listing of products now available for you to purchase.



Equestrian

STABLING AND BOX DOORS



Particular attention has been paid to the development of our products in order to guarantee their durability and safety both for animals and users. The metallic frames of the module is composed of 50mm x 50mm uprights, machine finished on their four sides, to ensure a sturdy and entirely modular 4 point assembly (harmless truss-head bolts) as well as 40mm x 50mm profile bars.

The diameter of the tubes composing the railed elements is 21.3 x 2mm with a maximum distance between the tubes of 60mm, in compliance with NATIONAL STUD FARM STANDARDS.

These elements are hot dip galvanised after assembly. The full board section can be equipped with northern pine wood or Douglas wood 42mm thick, which are grooved, matched, planed on all four sides and autoclave-treated with category 3 copper sulphate. These elements are fitted with a new boltable system for fast and easy assembly and replacement of the boards, even in the middle of the panel. Please contact us today for a quotation.



FIELD SHELTERS



Modular field shelter with single and double sloping roofs. They are compatible with various types of walls and facades from our range of boxes in autoclave-treated Douglas or Northern pine. Please contact us today for a quotation.



Equestrian

HAYRACK

HAYRACK- Hexagonal hayracks made from polyethylene, stabilized against UV Rays and frost. Sturdy but light, they can be easily handled by hand or with machine. Designed with 6 head spaces and include gutters to prevent water going inside.



FIELD WATER TROUGH

Polyethylene water troughs with reinforced bottoms and Superbac stainless steel plate strip rim. Various sizes available



Equestrian



EASY PRO JUMPS

A huge range of easy pro horse jumps available. Based on European patents these jumps allow us to enter a technical, progressive and very functional market. The new concept Easy pro jump offers the possibility to get all kinds of combinations with the best price to quality ratio.





“ Paul Westaway farms 170 Acres in Dymock, Glos, he has a herd of pedigree Angus and finishes 120 Angus x Holstein Heifers for Blade Farming. Paul won Beef Farmer of the Year at the 2013 "British Farming Awards" We moved to Gamage Hall farm in 2006 with 8 cows and now have over 240 head, the farm was in need of better sheds and a handling system along with gates and fencing, we have worked with Batemans since the start and have always been very impressed not only with the quality of their products but also the expertise and advice they supply. Batemans is a world class business and I would recommended them to anyone. ”

Paul Westaway - Gamage Hall Farm, Dymock - Sterling Sires

“ LM Bateman provided us with an excellent service from the design, manufacture and delivery of our new cattle handling system. It has truly transformed the way we handle cattle, making it safe and secure for the animals and the people operating the system. The service Bateman provided was impeccable from start to finish, they worked with us to create exactly what we wanted something that is totally unique in this field. We now have total confidence in handling our livestock and cannot thank Bateman enough. ”

Andrew Macleod - Farm Manager - FWS Carter & Sons - Exeter

“ We were needing feed barriers, gates and water troughs to divide a shed into pens for wintering cattle. The shed is needed for temporary grain storage at harvest, so all the cattle barriers had to be removable. As this was a job we were only likely to do once, we wanted to get it right and we wanted it to last. After explaining to L M Bateman what we were looking for, their salesman Wez Hall came up with a plan which we then tweaked a little here and there. The quote he came back with was very competitive but I think it was more their reputation and the build quality that decided it for us. We installed it all ourselves with a bit of help from the local builder and everything fitted in as planned with no problems. Now that it is all up it seems a shame to put cattle in and get it all mucky. I am most impressed with the weight of metal used in the feed barriers, you certainly would not want to try and lift one yourself. I am pleased with our purchase and hopefully it will continue to please for many years to come. ”

Francis Cuthbert - Anglepark Farming Co.

“ We have used Bateman products for several projects on our 200 cow dairy farm and on each occasion have been very pleased with the service they have provided. Their area fieldsman James Heath is exceptional and draws on his experience of other handling systems and knowledge of Bateman products to aid in the layout and design of the systems to ensure efficient and speedy cow flow and importantly a safe and secure handling of the cows. In our view this input from James is just as important as the price of the system. We would not hesitate to recommend Bateman products and James' planning. ”

Robert and Anne Graham - Lasenby Moor Farm, Ripon, North Yorkshire

We attend all major
Agricultural Shows & Events

Please call for further details



Bateman Tel: 01538 361326 www.lmbateman.co.uk

SUPERIOR LIVESTOCK EQUIPMENT

UNRIVALLED QUALITY THAT
SPEAKS FOR ITSELF



BRITISH NAME, BRITISH HERITAGE
BRITISH STRENGTH



Sales Office

+44 (0)1538 361 326

www.lmbateman.co.uk

LM Bateman & Co

@LMBateman79

lmbatemanuk



Contacts

Thom Bateman
Sales & Operations Director
M. 07872 457 021
E. thom.bateman@lmbateman.co.uk

A Scotland & North East Region
Gavin Young
M. 07709 460 966
E. gavin.young@lmbateman.co.uk

B Midlands, East Midlands, Cheshire & Yorkshire
James Heath
Territory Sales Manager
M. 07801 303 762
E. james.heath@lmbateman.co.uk

C Eastern
Chris Bradstreet
Territory Sales Manager
M. 07912 746 133
E. chris.bradstreet@lmbateman.co.uk

D Wales, Midlands & North West
Geraint Jones
Territory Sales Manager
M. 07801 303 761
F. 01286 871 881 (evening)
E. geraint.jones@lmbateman.co.uk

E Midlands & South East
George Hope
Territory Sales Manager
M. 07713 712 095
E. george.hope@lmbateman.co.uk

F South West Region
Wez Hall
Territory Sales Manager
M. 07801 303 770
E. wez.hall@lmbateman.co.uk

Export inc. Northern Ireland
Edward Bateman
Export Director
M. +44 (0) 7702 368 521
E. edward.bateman@lmbateman.co.uk

Ian Darlington
Export Manager
M. +44 (0) 7912 731 187
E. ian.darlington@lmbateman.co.uk



HEAD OFFICE

Island Works
Cheadle Road
Cheddleton
Staffordshire
ST13 7HN

T. +44 (0) 1538 361 326
E. sales@lmbateman.co.uk
www.lmbateman.co.uk

DIRECTORS

Melvyn Bateman (Chairman)
Ian Byrne (Managing Director)
Neil Gratton
Robert Hine
Thom Bateman
Edward Bateman
Glyn Torr